

Oaknotes



Mayor:

Melinda Smith

Council Members:

Vince Pacelli

Jennifer Miller

Chris Cuneo

Ryan Nazelrod

Steve Miller

Town Administrator:

Matt Leister

Town Office:

Kelly Baldwin, Director

Michelle Wilder

Tracy Brooks

Danielle Owens

Department of Public Works:

Rodney Kuhns, Director

David Brown

Brandon Martz

Ken Black

Delbert Green

Bill Black

Caleb Matthews

DJ Mancha

Peck Burmeister

Jaden Miller

Colin Adams

Clay Forster

Wastewater Treatment Plant:

410-239-7900

Maintenance Shop:

410-374-6097

Police Department:

John Hess, Chief

Martin Runk, Sgt.

Zeb Rohrback, Cpl.

Spencer Volland, Cpl.

Phoenix Russell, Pfc.

Kat Yox, Pfc.

Ronald Garner,

-Code Enforcement

“WELCOME SUMMER 2026”

It's summertime! As I write this, I look out my window to see the Manchester Volunteer Fireman's Carnival has moved into town. I wait all year for an ice-cold coke, hot pizza and fries among all the other things they have to offer. Please stop by and support your local volunteers.

This spring a lot of work took place around Christmas Tree Park. The outfield fence and lighting were replaced around field "C". The playground by pavilion five was resurfaced thanks to funding from the State and the Hailey's Wish Foundation. The new rubber surface makes this play area more inclusive for everyone. There are plans to remodel the tennis courts to add pickleball courts. This will be a nice addition to the park.

Don't forget that the Lion's Club pool is around the corner. Hot days are in the forecast – take the family out for a splash!

As always, have a safe and fun summer.

*---Matt Leister
Manchester Town Administrator*

Find the Town of Manchester on Facebook and on our website!

www.Manchestermd.gov

Resident Info



Water Bill Due Dates:

January 30th
April 30th
July 30th
October 30th

You can pay your water bills online! Visit our website and click on the "Pay Bill" tab. There is a 2.5% charge for credit card charges.

Don't forget the dropbox located outside the main entrance at Town Hall!

TRASH PICK UP INFO

The Northern Landfill lists the following as holidays that they will be closed:

January 1st
Memorial Day
July 4th
Labor Day
Thanksgiving Day
Christmas Day

It is when these days fall on a Monday that our trash pick-up will be pushed back one day.

MAYOR'S MEMO

"Hello Everyone and Happy Summer!! It's been a busy first half of the year.

It is now carnival season! Please come and support the Manchester Volunteer Fire Department. Nice weather has arrived and we will be working on getting our Town looking its best. We now have a Code Enforcement officer to help us toward this goal. Please work with us to get the Town we live in the best it can be by doing your part.

Thank you to everyone who already keeps their property looking great around Town."

--Mayor Smith



MILITARY BANNER PROGRAM

The Town of Manchester is grateful for the service and sacrifice of the men and women who protect our country. Active-duty military members, veterans and families of fallen service members who have lived in Manchester or Lineboro are invited to apply for a banner. Please find additional details along with applications at the Town website.



Manchester Vol. Firemens Carnival June 29 – July 6

Kitchen Opens @ 5pm

TIME: 6PM – 11PM
RIDES: 6PM – 10PM
WHERE: 3279 YORK
PARADE: TUES, JUNE 30TH

Plus so MUCH MORE – Pit beef/ham/turkey, funnel cakes, hamburgers, pizza, fries and more.....

!!

Monday: Great Train Robbery
Tuesday: Half Serious
Wednesday: Reagan Years
Thursday: Boot Leg
Friday: Roadrunners/Elvis
Saturday: Red Dirt Revolution

Beer Garden – Must be 21 to enter



FIREWORKS:
THURSDAY JULY 2ND
Rain Date: Friday July 3RD



BULK TRASH INFO

October 21st

If you are interested in bulk trash pick-up, you must first call Hughes Trash Removal.
410-374-6467.



We Have The Perfect Setting For Fun!!

Christmas Tree Park is THE place to host a birthday party, graduation or a simple get-together! Check us out!!

Small pavilion = **\$90**
Large pavilion = **\$120**

Call 410-239-3200 to book your special day!



Construction of all **decks, pools & sheds** require a building permit issued by Carroll County Permits. The County will then submit to the Town of Manchester. *Sheds LESS than 150 square feet, contact Town Hall for a Zoning Certificate.*
****Fee for Zoning Certificates are now \$50.00****

Dwellings, lots, and yards with **trash, debris, and high grass** are violations of the Town Code. Violation of this ordinance is \$500 for the first offense and \$1000.00 for each repeat offense.

UNLICENSED VEHICLES

In accordance with Code §233-1 it is unlawful to keep any motor vehicle inoperable, without registration plates or having expired tags on any property within the Town unless it is enclosed in a garage or other building.

FENCE INFO!

All fences must be approved for allowed material, location & height by the Town **before** installation. Please bring a copy of your plat to the Town Hall to receive a zoning certificate. No chain link fences. **** \$50 Fee for Zoning Certificates.**

OCTOBER PICK-UPS

Brush pick-up will be on **THURSDAY October 22nd**. Remember that your pile must be no larger than four feet in height, four feet in width and eight feet in length. Each property will receive ONE pick-up.

Bulk trash pick-up is scheduled for **October 21st**. Call Hughes one week prior to get on their list.
410-374-6467.



If you should experience a water or sewer emergency, please call our **Emergency Number: 410-861-3130**.



**Yard Waste Pick Up
On Wednesdays!!**

**HUGHES TRASH
will collect through
December 16th.**

Yard waste consists of grass clippings, leaves and small branches not in excess of 3 feet and/or 4” in diameter. Branches must be bundled in arm-full loads. Yard waste should not be mixed with mulch, dirt, or any residential refuse, including pest waste. Residents should place lawn waste curbside on **Tuesday evening** for **Wednesday’s** pickup.

All yard waste must be placed in large Kraft paper bags or in a container that is labeled **“YARD WASTE”** to be dumped.

NO PLASTIC BAGS!

For Info: 410-239-3200

PAINT CAN INFO!!

ALL paint cans must be free of paint. (Please soak paint in kitty litter to dry up before setting out).

**SNOW
INFORMATION**

Please remember that **ALL** Town streets are snow emergency routes. When the Snow Emergency Plan is in effect, parking is prohibited.

If you live in a development with a use-and-common driveway, the Town is **NOT** responsible for plowing.

Please park your cars in the driveway so that our snow plows can clear our streets quickly. We suggest driveways be cleared **AFTER** our street clearing has concluded so that all snow is pushed back from the curb.

Sidewalks are to be cleared of snow & ice within 10 hours after the snow has stopped falling.

Violation of clearing your sidewalk is \$150 for the first offense and \$300 for each additional violation.

ATTENTION!! When the State puts the Snow Emergency Plan into effect, it shall be effective on all municipal streets as well as Main Street. That means there is **NO** parking on the streets.



**CHRISTMAS TREE
PICK UP**

Tree pick up will be January 6th and January 13th. Please remove **ALL** decorations from the tree & place by the curb.

**WATER METER
TOUCH PAD INFO**

Please keep your water meter touch pad on the outside of your house free of vegetation and flowers.
Thank You!



MANCHESTER HISTORICAL CENTER

3208 York Street

Open the 1st Sunday and the 3rd Saturday of each month. Hours are 1pm – 4:30pm or by appointment. For individuals who have questions, please call 410-239-3247 or visit their Facebook page.



RECYCLING INFORMATION

PLEASE break down and stack all cardboard boxes.

Hughes will not pick up boxes that have blown away from your property.

Thank you!



Do Not Wait if you hear running and/or roaring water!!

Call the Town Office immediately at 410-239-3200. If it is after 4:30pm, please call 410-861-3130.



LIONS CLUB POOL DONATIONS NEEDED!!

The Lineboro-Manchester Lions Club is in desperate need of donations for critical repairs. Those willing to donate can send donations to **Lineboro-Manchester Lions club Charitable Foundation, Inc., PO Box 27, Manchester, MD 21102**



Some Recycling Reminders!!

Accepted:

- Plastic Bottles & Jugs
- Aluminum & Tin
- Glass jars & Bottles
- Paper

NOT Accepted:

- Motor oil,
- Transmission Fluid, Pots,
- Pans, Drinking Glasses,
- Plastic Cutlery, Scrap
- Metal, Styrofoam, Wire,
- Plastic Bags, Paint Cans
- with paint inside!



Please remember to pick up after your dog as you take walks around town. **Animals running at large include cats as well as dogs. Any owner found in violation will be fined \$500.**

NUMBERS TO KNOW

Animal Control (Humane Society) 410-848-4810
Carroll County Health Dept. 410-876-2152
Carroll County Office Building 410-386-2400
Charlotte's Quest Nature Center 410-374-3395
Comcast/XFINITY 410-861-4989
Director of Public Works 410-239-1482
Ebb Valley Elementary School 410-386-1550
Firemen's Activities Building 410-374-4259
Hughes Trash Removal 410-374-6467
Lineboro/Manchester Lions Pool 410-374-2570
Maintenance Shop 410-374-6097
Manchester Elementary School 410-751-3410
Manchester Fire Department Non-Emergency 410-374-2596
Manchester Police 410-239-6900
Manchester Town Office 410-239-3200
Manchester Valley High School 410-386-1673
Maryland State Police 410-386-3000
Sewer Treatment Plant 410-239-7900
Water/Sewer Emergency 410-861-3130
(After Hours Number)



NATIONAL NIGHT OUT!!

AUGUST 4th

5:00PM -7:00PM

Manchester Activities Building

Take this opportunity to meet your local firefighters, law enforcement and neighbors!

WATER/SEWER FEE REMINDER

The Mayor & Council approved Ordinance No. 274 which increased the water rates by \$.42 per 1,000/gal, \$.04 increase for PFAS mitigation & Ordinance No. 275 increasing sewer rates by \$.72 per 1,000 gal. Copies of these ordinances are available at the Town Office or online at manchestermd.gov.

2026 CHARLOTTE B. COLLETT MEMORIAL SCHOLARSHIP WINNER!!

The Town sends congratulations to *Molly Devers* for winning this year's award!!! Best of luck Molly!



TOWN OF MANCHESTER MAYOR'S AWARD

The Town would also like to congratulate *Madalyn Kilgore* for her outstanding work ethic and community service hours.

TOWN OF MANCHESTER

Public Water System ID: MD0060006

We are pleased to present to you the Annual Water Quality Report (Consumer Confidence Report) for the year, for the period of January 1 to December 31, 2025. This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water. (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien).

For more information regarding this report, contact: Name: Rodney Kuhns Phone: 410-239-3200

Sources of Drinking Water

TOWN OF MANCHESTER is Ground water.

Our water source(s) and source water assessment information are listed below:

Source Name		Type of Water	Report Status	Location
BACHMAN RD (WELL 4) CL733684	CL733684	Ground water		
CROSSROADS 1 (WELL 8) (BLEVINS) CL882877	CL882877	Ground water		
CROSSROADS 2 (WELL 9) (BLEVINS) CL881367	CL881367	Ground water		
FERRIER ROAD 1 (WELL 12A) CL943120	CL943120	Ground water		
FERRIER ROAD 3 (WELL 12C) CL943119	CL943119	Ground water		
FERRIER ROAD 2 (WELL 12B) CL941668	CL941668	Ground water		
HALLIE HILL (WELL 11) CL930067	CL930067	Ground water		
HALLIE HILL 2 WELL L CL883073	CL883073	Ground water		
HALLIE HILL 2 WELL N CL883071	CL883071	Ground water		
HIGH SCHOOL WELL 1 CL812456	CL812456	Ground water		
HIGH SCHOOL WELL 2 CL951121	CL951121	Ground water		
HIGH SCHOOL WELL 3 CL951172	CL951172	Ground water		
HOLLAND DR (WELL 2) CL738001	CL738001	Ground water		
MANCHESTER FARMS B (WELL10) CL738744	CL738744	Ground water		
PARK RIDGE (WELL 13A) CL943593	CL943593	Ground water		
PARK RIDGE (WELL 13B) CL943596	CL943596	Ground water		
WALNUT ST (HILLSIDE SPRING)	01-WTP WALNUT ST. (1WELL+3 SPGS)	Ground water		
WALNUT ST (WELL 1) CL816577	CL816577	Ground water		

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791. Contaminants that may be present in source water include:

Microbial Contaminants – such as viruses and bacteria, which may come from sewage treatments plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants - such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides - which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants - including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants - which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

There is no safe level of lead in drinking water. Exposure to lead in drinking water can cause serious health effects in all age groups, especially pregnant people, infants (both formula-fed and breastfed), and young children. Some of the health effects to infants and children include decreases in IQ and attention span. Lead exposure can also result in new or worsened learning and behavior problems. The children of persons who are exposed to lead before or during pregnancy may be at increased risk of these harmful health effects. Adults have increased risks of heart disease, high blood pressure, kidney or nervous system problems. Contact your health care provider for more information about your risks.

An initial Service Line Inventory was submitted to the Maryland Department of the Environment on 10/16/2024. As a result, the Service Line Inventory requirement was fulfilled. The report is available upon request.

Source water assessment has been performed by the Maryland Department of the Environment and is accessible on their website at: https://mde.maryland.gov/programs/Water/water_supply/Source_Water_Assessment_Program/Pages/by_county.aspx

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Treatment Technique or TT: A required process intended to reduce the level of a contaminant in drinking water.

Variations and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Avg: Average - Regulatory compliance with some MCLs are based on running annual average of monthly samples.

ND: Non-detect – Constituent was not present or was present at levels below the detection limit of the testing method.

LRAA: Locational Running Annual Average

mrem: millirems per year (a measure of radiation absorbed by the body)

ppt: One part per trillion is equivalent to one nanogram (ng/L) per liter. A single drop of food coloring in 18 million gallons of water. ppb: micrograms per liter (ug/L) or parts per billion - or one ounce in 7,350,000 gallons of water.

ppm: milligrams per liter (mg/L) or parts per million - or one ounce in 7,350 gallons of water picocuries per liter (pCi/L): picocuries per liter is a measure of the radioactivity in water.

na: not applicable.

raa: running annual average

Our water system tested a minimum of 6 sample(s) per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
CHLORINE	2025	0.7	ppm	0.02 - 2.2	4	4	Water additive used to control microbes

Regulated Contaminants

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results.

Microbiological	Result	MCL	MCLG	Typical Source
COLIFORM (TCR)	In the month of July, 2 sample(s) returned as positive	Treatment Technique Trigger	0	Naturally present in the environment

Lead and Copper	Period	90TH Percentile: 90% of your water utility levels were less than	Range of Sampled Results (low - high)	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2021 - 2023	0.677	<.005	ppm	1.3	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
LEAD	2021 - 2023	1.16	<.005	ppb	15	0	Corrosion of household plumbing systems; Erosion of natural deposits

Maximum Contaminant Level Goal (MCLG) for Copper is 1.3 ppm and for Lead is zero (0) ppb.

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. TOWN OF MANCHESTER is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact TOWN OF MANCHESTER at 410-239-7900 or dgreen@manchestermd.gov. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <http://www.epa.gov/safewater/lead>.

Disinfection Byproducts	Sample Point	Period	Highest LRAA	Range	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAA5)	MAINTENANCE GARAGE	2025	0	0 - 0	ppb	60	0	By-product of drinking water disinfection
TTHM	MAINTENANCE GARAGE	2025	9	8.8 - 8.8	ppb	80	0	By-product of drinking water chlorination

Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
BARIUM	1/9/2025	0.017	0 - 0.017	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
NITRATE	2/6/2025	5.92	0 - 5.92	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
NITRATE-NITRITE	5/12/2025	5.9	5.9	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
SELENIUM	1/30/2025	1	0 - 1	ppb	50	50	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines

Radiological Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
COMBINED RADIUM (-226 & -228)	6/13/2023	0.3	0.3	pCi/L	5	0	Erosion of natural deposits
RADIUM-226	6/13/2023	0.3	0.3	PCI/L	5	0	Erosion of natural deposits

PFAS Rule: Initial Monitoring	Collection Date of HV	Highest Value (HV)	Range of Sampled Result(s)	Unit
PERFLUOROBUTANE SULFONIC ACID (PFBS)	7/15/2024	16.8	0 - 16.8	ppt
PERFLUOROHEXANE SULFONIC ACID (PFHxS)	7/16/2024	3.1	0 - 3.1	ppt
PERFLUOROCTANE SULFONIC ACID (PFOS)	1/23/2024	3.9	0 - 3.9	ppt
PERFLUOROCTANOIC ACID (PFOA)	1/17/2024	4.7	0 - 4.7	ppt

PFAS - short for per- and polyfluoroalkyl substances - refers to a large group of more than 4,000 human-made chemicals that have been used since the 1940s in a range of products, including stain- and water-resistant fabrics and carpeting, cleaning products, paints, cookware, food packaging and fire-fighting foams. These uses of PFAS have led to PFAS entering our environment, where they have been measured by several states in soil, surface water, groundwater and seafood. Some PFAS can last a long time in the environment and in the human body and can accumulate in the food chain.

The Environmental Protection Agency (EPA) announced regulations for 6 PFAS compounds in drinking water in April 2024. The MCLs for PFOA and PFOS are 4.0 parts per trillion (ppt). The MCLs for HFPO-DA (GenX), PFNA and PFHxS are 10 ppt. PFAS mixtures containing at least two or

more of PFHxS, PFNA, HFPO-DA, and PFBS use a Hazard Index of 1.0 (unitless) to determine if the combined and co-occurring levels of these PFAS pose a risk and require action. Public water systems have three years (by 2029) to implement solutions that reduce these PFAS if monitoring shows that drinking water levels exceed these MCLs.

The Maryland Department of the Environment (MDE) conducted a PFAS monitoring program for Community Water Systems from 2020 to 2022. The results are available on MDE's website at:

https://marylanddepartmentoftheenvironment.shinyapps.io/MDE_PFAS_PublicWaterSystemStudyMap/

Additional Required Health Effects Language:

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

There are no additional required health effects violation notices.

We found coliforms indicating the need to look for potential problems in water treatment or distribution. When this occurs, we are required to conduct assessment(s) to identify problems and to correct any problems that were found during these assessments.

During the past year we were required to conduct Level 1 assessment(s). 1 Level 1 assessment(s) were completed. In addition, we were required to take 0 corrective actions and we completed 0 of these actions.

Calendar

July

- 3 Office Closed - Holiday
- 6/29-4 *MVFD Carnival!*
- 14 Town Council Mtg
- 21 Planning & Zoning Mtg

August

- 4 *National Night Out*
- 11 Town Council Mtg
- 18 Planning & Zoning Mtg

September

- 7 Office Closed - Holiday
- 8 Town Council Mtg
- 15 Planning & Zoning Mtg

October

- 12 Office Closed – Holiday
- 13 Town Council Mtg
- 20 Planning & Zoning Mtg
- 21 **BULK PICK UP**
- 22 **BRUSH PICK UP**
- 26 Leaf Pick Up Begins
- 31 *Trick or Treating – 6pm -8pm*

November

- 10 Town Council Mtg
- 11 Office Closed - Holiday
- 17 Planning & Zoning Mtg
- 26 Office Closed – Holiday
- 27 Office Closed – Holiday
- 30 Leaf Pick Up Ends

December

- 8 Town Council Mtg
- 15 Planning & Zoning Mtg
- 16 Last Day of Yard Waste
- 24 Office Closed - Holiday
- 25 Office Closed - Holiday

All meetings begin @ 7:00pm
Remember to you can view the meeting on Channel 23.